

# Index

\$FOPEN, 8-4  
'O, 10-22  
...! , definition, 18-10  
...@ , definition, 18-10  
OFOPEN, 8-4  
:CLASS, 10-16  
:M, 10-16  
<SUPER, 10-16  
>ABS with libraries, 18-2  
>ABS, 18-13  
>ABS, ORG, 14-2  
>REL, ORG, 14-2  
?INstantiate:, 10-22  
?INstantiate:, OB.OBJLIST, 10-15  
?NEW:, OB.BARRAY, 10-9  
?NEW:, OB.ELMNTS, 10-11  
[], Tutorial, 10-5  
[COMPILE], 6-4  
[FORGET], 11-6

## A

AbortIO(), 24-6  
Absolute value, ABS, GL-30  
ADD:, OB.ELMNTS, 10-11  
Address conversion for libraries, 18-2  
Address conversion in assembler, 14-8  
Address conversion, >ABS , GL-25  
Address conversion, structures, 18-9  
Address relocation, 12-5  
Address, absolute, 14-2  
Address, automatic call conversion, 18-5, 6  
Address, conversion, 18-13  
Address, even, ALIGN, GL-31  
Addresses, relative vs absolute, 2-6  
Alert, RUDE, AP-6  
Algebraic expressions, 4-6  
ALL.METHODS, 10-21  
Allocate dictionary, ALLOT, GL-32  
Allocate/instantiate objects 10-15  
Allocate, structure, 18-8  
ALLOCBLOCK, 11-1  
AllocMem(), ALLOCBLOCK, GL-31  
ALLOT, USE.DICT:, 10-10  
AmigaDOS 2.0, 24-8  
ANEW, 11-5  
ANEW, tutorial, 5-2  
ANIM.xxx, definitions, 22-6  
Animation, 22-1

Animation, moving brush, 21-4  
Animbrush, tutorial, 22-4  
Application Specific Library, 24-9  
Applications, stand-alone, 7-1  
APTR, 18-9  
Area, 24-4  
ARexx Arguments, 23-3  
ARexx Support, 23-1  
ARexx Variables, 23-8  
ARGS, library calls, 18-1  
Arithmetic, 4-4  
Array object, 10-3  
Array of structures, 18-8  
Array, byte-wide, CARRAY, GL-41  
Array, OB.BARRAY 10-9  
ARRAYOF structures, 18-11  
Arrays in structures, 18-9  
ASCII characters, 4-7  
ASL, 24-9  
Assembler module, 16-2  
Assembler, 68000, 14-1  
Assembler, clone restrictions, 7-7  
Assembler, macros, 14-5  
Assembler, Motorola style, 14-6  
Assembler, RPN, 14-2  
ASSIGN, 3-1  
AT:, OB.BARRAY, 10-9

## B

Backspace char, BSOUT, GL-38  
BACKWARD:, OB.ELMNTS, 10-11  
BASE in #, GL-3  
BASE, numeric, 5-10  
BBS, Forth support, AP-2  
BEGIN UNTIL, 5-7  
BeginIO(), 24-6  
Benchmark, 2-4  
Benchmarks, 3-2  
Binary files, 8-2  
Binding, ODE, 10-5  
Bitmap allocation, 24-1  
BLOCK files, 15-1  
BLOCK, convert to text file, 15-4  
BLOCK, files, 3-3  
BLOCK2TEXT, file conversion, 3-3  
Boolean operators, 5-5  
BOTH, 12-5  
Breakpoint, debug, 13-4  
Breakpoint, setting, 13-6  
Brush, dump, AP-6  
Buffered file I/O, 8-7

## C

CALL, libraries, 18-4  
CALLED, 12-5  
Calling a library, example, 18-1  
CASE, 5-7

- CELL, concept, AP-10
- CFA, , 12-5
- CFA, 12-4
- CFA, get with ', GL-6
- Change directory, CD, GL-41
- CHIP memory, ALLOCBLOCK, GL-31
- CHOP:, OB.ELMNTS, 10-11
- Chunks in IFF files, 21-10
- Class, definition, 10-2
- Class, example, 10-19
- Classes, defining new, 10-16
- CLEAR:, OB.BARRAY, 10-9
- CLEAR:, OB.INT, 10-9
- Clipping, PIC, 21-6
- Clone and modules, 16-5
- Clone, 2-2
- Clone, 7-1
- Clone, debugging, 13-5
- Cloning ODE programs, 10-23
- Close file, 8-6
- Code Field, 12-4
- Color of input text, 17-1
- Color, index, 19-2
- Color, text, foreground, 24-8
- Compare numbers, 5-5
- Compile CFA reference (CFA,), GL-9
- Compile from Textra, 23-7
- COMPILE, 6-7
- Compile, INCLUDE, 2-2-5
- Compiler, 12-5
- Compiler, STATE, GL-95
- Compiling a program, 5-2
- Compiling IMMEDIATE words, 6-7
- Compress bitmap, 21-16
- Conditional compilation .IF, GL-17
- Conditionals, 5-6
- Conditionals, style, AP-10
- CONSOLE, cloned, 7-3
- CONTEXT, 17-3
- Control-C, cloned, 7-3
- Control-D, 13-5
- Convert .h files, 18-, 18-14
- CREATE DOES>, 6-6
- CREATE example, 6-1
- CREATE, data, GL-25
- CreatePort(), 24-6
- CreateStdIO(), 24-6
- CURRENT:, OB.ELMNTS, 10-11
- Cursor control, 24-7
- Cursor keys, history, 17-1

## D

- Data registers, 14-1
- Data stack, 12-2
- DATA.ADDR:, OB.BARRAY, 10-9
- DEBUG, UNRAVEL calls, GL-101
- Debugger, tutorial, 13-3

- Debugging, tools, 13-1
- DEBUG{, 13-6
- DEF, 14-11
- DEFER, 11-3
- Defer, cloned, 7-7
- Defer, in modules, 16-4
- DEINstantiate, 10-22
- DEINstantiate:, OB.OBJLIST, 10-15
- Delay(), 18-1
- DELETE:, OB.LIST, 10-14
- Demos, list of, 3-2
- Dial, AP-5
- Dictionary layout, 12-2
- Dictionary pointer, HERE, GL-66
- Dictionary size, #K, GL-4
- Dictionary, WORDS, 2-3
- Dimension, OB.ELMNTS, 10-11
- DIMENSION:, OB.ELMNTS, 10-11
- Disassembler, 14-9
- Divide using / , GL-18
- Division, floored, 2-7
- DO LOOP, 5-7
- DO.RANGE:, OB.BARRAY, 10-9
- DO:, OB.ELMNTS, 10-12
- Documentation generator, AP-6
- DOLINES, 8-8
- DOS commands, 2-4
- DOS Library, 18-1
- DOS, execute command, \$DOS, GL-5
- Double Buffer, 3-5
- Double buffering, 21 5
- Double Buffers, in ANIMs, 22-2
- Double precision, CALL, 18-5, 6
- DSP, 18-9
- DUMP.SOURCE:, OB.ELMNTS, 10-12

## E

- ED.AT:, OB.ELMNTS, 10-12
- ED.TO:, OB.ELMNTS, 10-12
- ED2I:, OB.ELMNTS, 10-12
- Editing text file, 5-1
- EDITOR, for BLOCKs, 15-2
- Element, OB.ELMNTS, 10-11
- EMIT, cloned, 7-3
- EMIT, defer, 11-4
- EMIT, LOGTO, 11-8
- EMPTY:, OB.ELMNTS, 10-12
- ERR%, 11-9
- Error checking in ODE, 10-21
- Error codes, 11-9
- Error codes, 23-3
- Error handling, 11-9
- Error report, .ERR, GL-17
- Error reporting in ODE, 10-23
- Error, Index out of range, 10-4
- Errors, IFF, 21-5
- Escape characters, ANSI, 24-7

EV.xxx, definitions, 19-6  
 Event input, 19-6  
 Events, menu example, 20-2  
 Exec support, 24-5  
 EXEC:, OB.ARRAY, 10-10  
 EXECUTE, 6-3  
 EXECUTE, clone restrictions, 7-7  
 Execution Array, 10-11  
 Exit JForth, BYE, GL-38  
 EXPECT, History, 17-2  
 EXTEND:, OB.BARRAY, 10-9

## F

F, , 8-7  
 Fadein, 21-4  
 Fadein, PIC.FADEIN, 21-9  
 FCLOSE, 8-6  
 FIG standard, AP-12  
 FIG, Forth Interest Group, AP-2  
 File creation, 8-1  
 File names, 8-6  
 File requester, ASL, 24-9  
 File, \$FOPEN, GL-5  
 File, buffered, 8-7  
 File, example, AP-9  
 File, I/O, 8-1  
 FILE?, 18-8  
 Files, closed if TRACKING ON, 7-3  
 Files, JForth disks, 3-1  
 FILEWORD, 8-4  
 FILL.DIM:, OB.ELMNTS, 10-12  
 FILL:, OB.BARRAY, 10-9  
 FIND, cloned, 7-6  
 FIRST:, OB.ELMNTS, 10-12  
 FIRST:, OB.ELMNTS, 10-12  
 Flip pictures, 21-9  
 Floating Point, 9-1  
 Font Requester, 24-9  
 Font, 19-5  
 Font, garbled?, 13-3  
 Fonts, 24-3  
 FOPEN, 8-4  
 Forbid(), 24-7  
 FORGET using ANEW, GL-32  
 FORGET, 11-5  
 FORGET, tutorial, 5-2  
 Forth Interest Group, AP-2  
 Free, various, 24-2  
 FREE:, example, 10-5  
 FREE:, OB.BARRAY, 10-9  
 FREEALL:, OB.OBJLIST, 10-15  
 FREEBLOCK, 11-1  
 Function keys, 17-2

## G

Gadgets, 24-3  
 GET.NAME:, OBJECT^-8

GET:, OB.ELMNTS, 10-12  
 GET:, OB.INT, 10-9  
 GOTO.ERROR, 11-9  
 GOTO:, OB.ELMNTS, 10-13  
 GR.xxx, definitions, 19-3  
 Graphics, misc., 24-1  
 Graphics, toolkit, 19-1

## H

H2J, 18-14  
 Hash dictionary, 2-5  
 Header structure, 12-2  
 Hex entry using \$, GL-4  
 Hide, SMUDGE, 12-3  
 HISTORY, 17-1  
 HMSL, AP-1  
 HMSL, plug, AP-20  
 Hunks, SHOWHUNKS, 17-5

## I

I2ADDR:, OB.ELMNTS, 10-13  
 I2ED:, OB.ELMNTS, 10-13  
 IDCMP events, 19-6  
 IF, style, AP-10  
 IF, tutorial, 5-6  
 IF.FORGOTTEN example, AP-9  
 IF.FORGOTTEN, 11-6  
 IF.FORGOTTEN, and FREE:, 10-5  
 IF.FORGOTTEN, with DEFER, 11-4  
 IFF file support, 21-1  
 IFF Parser, 21-10  
 IFF, ANIM formats, 22-1  
 IFF, dump file, AP-6  
 IFF, support files, 3-5  
 IFF.xxx definitions, 21-14  
 ILBM parsing, 21-11  
 ILBM, display, 21-1  
 IMMEDIATE words, compiling, 6-7  
 IMMEDIATE, 6-6  
 INCLUDE from Textra, 23-7  
 Include files, .h and .j, 18-7  
 Include files, module, 16-3  
 INCLUDE, 2-5  
 INCLUDE, echo, 13-1  
 INCLUDE, tutorial, 5-2  
 INCLUDE?, tutorial, 5-2  
 Incompatibilities, 21-16  
 Index of DO LOOP, 5-8  
 INDEXOF:, example, 10-4  
 INDEXOF:, OB.BARRAY, 10-9  
 Inheritance, 10-1  
 Inheritance, definition, 10-3  
 Inheritance, how it works, 10-23  
 INHERITANCE.OF, 10-21  
 INIT:, 10-19  
 Initialization, AUTO.INIT, GL-34  
 Initialization, compile time, AP-9

Initialize Forth,COLD, GL-44  
 INLINE data, AP-11  
 INLINE, 12-5  
 Input a string, EXPECT, GL-58  
 Input, TIB, >IN , GL-25  
 INSERT:, OB.ELMNTS, 10-13  
 Install on hard disk, 1-2  
 Instance objects, 10-20  
 Instance Variable definition, 10-3  
 Instance variables, 10-17  
 Instantiate objects in list, 10-15  
 Instantiation, dynamic, 10-22  
 INTERPRET, cloned, 7-6  
 Interrupt, assembly tips, 14-9  
 Intuition, misc24-1  
 IV.LONG, 10-16  
 IV.SHORT, 10-16  
 IV=>, 10-17

## J

JShow, 21-13  
 Jump table, 10-10

## K

Kernel, 12-4  
 KEY, cloned, 7-3

## L

LAST:, OB.ELMNTS, 10-13  
 Late binding, ODE, 10-5  
 Libraries, adding new, 18-6  
 Libraries, Graphics, 19-1  
 Libraries, Intuition, 19-1  
 Libraries, tutorial, 18-1  
 Library, base pointers, 18-4  
 Library, new, GL-23  
 LIMIT:, OB.BARRAY, 10-9  
 Link Field, 12-3  
 Link field, 6-4  
 Linked lists, exec, 24-6  
 List object, OB.LIST, 10-14  
 List, OB.OBJLIST, 10-14  
 LITERAL, 6-7  
 Loader, 12-5  
 Local Variables and ODE, 10-6  
 Local Variables, 11-6  
 Local variables V2 vs V3, AP-17,18  
 Logical operators, 5-5  
 LOGTO, 11-8  
 Loop using BEGIN, GL-35  
 Loops, tutorial, 5-7

## M

MANY:, OB.ELMNTS, 10-13  
 MANYLEFT:, OB.ELMNTS, 10-13  
 MARKFCLOSE, 8-6  
 MAX-INLINE, 7-2

MAX-INLINE, 12-4, 5  
 MAX.ELEMENTS:, OB.ELMNTS, 10-13  
 MAXimum, 4-5  
 Memory allocation problems, 13-2  
 Memory allocation tracking, 12-5  
 Memory Allocation, 11-1  
 Memory allocation, ALLOCBLOCK, GL-31  
 Memory fragmentation, 1-3  
 Memory Map, 12-1  
 Memory, allocation example, AP-9  
 Memory, CHIP, ODE, 10-23  
 Memory, FREE:, 10-9  
 Memory, FREEBLOCK, GL-63  
 Memory, freed if TRACKING ON, 7-3  
 Menu defaults, 20-6  
 Menu, example, 20-1  
 Menu, EZMENU System, 20-1  
 Menu, Intuition calls, 20-6  
 Message Port, ARExx, 23-2  
 Message, wait, 19-7  
 METHOD, declaration, 10-17  
 Method, definition, 10-2  
 METHODS.OF, 10-21  
 Module, ASSEM, 14-6  
 Module, INCLUDES, 19-1  
 Modules, 16-1  
 Modules, custom, 16-3  
 Modules, structures, 18-7  
 Moore, Charles, 2-1  
 Mouse input, 19-6  
 Multitasking, 12-1

## N

Name Field, 12-3  
 NAME:, OBJECT^-8  
 Naming conventions, AP-8  
 NEW:, OB.BARRAY, 10-9  
 NEW:, OB.ELMNTS, 10-13  
 NEW:, OB.LIST, 10-14  
 NewWindow, 19-1  
 NEXT:, OB.ELMNTS, 10-13  
 NEXTWRAP:, OB.ELMNTS, 10-13  
 NFA, 12-3  
 NOT, standards, 2-6  
 Number compilation, LITERAL, GL-71  
 Numeric BASE, GL-35  
 Numeric conversion, GL-3

## O

OB.ARRAY, tutorial, 10-3  
 OB.BARRAY, 10-9  
 OB.ELMNTS, 10-11  
 OB.REPORT.ERROR, 10-23  
 OBJECT class, 10-8  
 Object, definition, 10-2  
 ODE, 10-1

ODE, cloning, 7-6  
 ODE, loading, 10-3  
 Open file, FOPEN, 8-4  
 OPENFV, 8-7  
 OpenLibrary(), 18-6  
 Optimize, INLINE, GL-69  
 Optimizer, global, 17-6  
 ORG register, 14-2  
 Overflow, \*/, 4-6

## P

PAD, used by ", GL-3  
 Parameter Field, 12-4  
 Performance Analyser, 17-7  
 PFA, 12-4  
 PFA, >BODY , GL-25  
 PIC.xxx, definitions, 21-6  
 PICK, tutorial, 4-3  
 Pointer to function, 6-3  
 Polygons, 24-4  
 Port, FindPort(), 24-5  
 Portability, AP-10  
 Print number, . , GL-16  
 PRINT, application, AP-6  
 PRINT.DIM:, OB.ELMNTS, 10-13  
 PRINT:, OB.ELMNTS, 10-13  
 Printing output, 11-8  
 PROFILE, 17-7  
 PUSH, 11-2  
 PUT.NAME:, OBJECT^-8  
 PUT:, OB.ELMNTS, 10-13  
 PUT:, OB.INT, 10-9

## Q

Quit JForth, BYE, GL-38  
 QUIT, cloned, 7-6  
 Quitting JForth, BYE, 1-2

## R

Random, CHOOSE, GL-42  
 Random, example, 19-2  
 Range check, objects, 10-4  
 RANGE:, OB.BARRAY, 10-10  
 Rastport allocation, 24-1  
 RastPort, 19-3  
 Read file, FREAD, GL-63  
 READLINE, 8-7  
 Reboot, 1-3  
 ReCompile JForth, 12-6  
 Register, dump, 13-7  
 Registers 68000, utilization, 14-1  
 Relocation Table, 12-5  
 Remainder, /MOD, 4-5  
 REMOVE:, OB.ELMNTS, 10-13  
 Requester, AUTO.REQUEST, GL-35  
 RESET:, OB.ELMNTS, 10-13  
 Return stack, 6-5

Return stack, >R , GL-26  
 Return stack, debugging, 13-7  
 Reverse Polish Notation, 4-4  
 REXXView, 23-10  
 RPN, 4-4  
 RUN.FASTER, 10-21  
 RUN.SAFER, 10-21  
 RX.ADD.COMMAND, tutorial, 23-4  
 RX.EXEC.LINE, 23-5  
 RX.INIT, tutorial, 23-2  
 RX.xxx, AREXX glossary, 23-5

## S

S!, 18-8  
 SAVE-FORTH and Modules, 16-1  
 SAVE-FORTH, 2-5  
 SAVE-FORTH, 6-2  
 SAVE-FORTH, and #K, GL-4  
 SCRED, for BLOCKS, 15-3  
 Screen tools, 24-4  
 Screen, SIFF-SCREEN, 22-6  
 Screens, with \$PIC.LOAD? 6  
 Seek file, FSEEK, GL-65  
 SELF, in methods, 10-17  
 Serial, Dialer, AP-5  
 SET.MANY:, OB.ELMNTS, 10-13  
 SET.WIDTH:, OB.BARRAY, 10-10  
 Shell, startup, 1-3  
 SHIFT, 4-6  
 SHOWHUNKS, 17-5  
 Sign extension, B->S , GL-35  
 Sign, words in structures, 18-11  
 Signals, alloc, 24-5  
 Size Field, 12-4  
 Size, dictionary, #K, GL-4  
 Size, dictionary, cloned, 7-4  
 SIZE:, OB.ELMNTS, 10-14  
 Smalltalk, 10-2  
 SMEAR:, OB.ELMNTS, 10-14  
 SMUDGE bit, 12-3  
 SMUDGE in colon, GL-23  
 Sort, -2SORT, 5-8  
 Sort, Batch, BSORT, GL-38  
 Sortmerge, AP-7  
 Speech, SayNumber.f, AP-7  
 SPLIT:, OB.ELMNTS, 10-14  
 Stack diagram, 4-2  
 Stack location, 12-2  
 Stack size, 2-6  
 Stack, dynamic, 11-2  
 Stack, tutorial, 4-1  
 Standards, Forth, AP-12  
 STATE of the compiler, 6-6  
 STRETCH:, OB.ELMNTS, 10-14  
 String append, 6-2  
 String compare, \$-, GL-5  
 String compare, MATCH?, GL-75

- String comparison, 6-1
- String handling, 6-1
- String input, EXPECT, GL-58
- String print, ." , GL-16
- String, \$APPEND, GL-5
- String, ", GL-3
- String, compile using \$, , GL-5
- String, NUL terminated, 0" , GL-19
- String, NUL terminated >DOS, GL-25
- Strings, 5-9
- Structure unions, 18-12
- Structure, access, 18-8
- Structure, assembler access, 14-8
- Structure, defining, 18-9
- Structure, dump, 18-9
- Structure, passing, 19-1
- Structures, 18-7
- Structures, array of, 18-8
- Structures, nested, 18-8
- Submenu, 20-5
- Subroutine threading, 2-6
- SUPER, in methods, 10-18
- Superclass, <SUPER, 10-16
- Superclass, definition, 10-2
- Switch(), CASE, GL-41

## T

- TAB-WIDTH, 17-3
- Tag lists, 24-9
- Terminal, AP-7
- Text editor, ARexx, 23-7
- Text I/O, 5-9
- Text justification, 19-5
- Text, color, foreground, 24-8
- Textra, ARexx, 23-7
- Textra, install, 2-3
- Time, BENCH, 2-4
- Time, example, 18-2
- TO:, OB.BARRAY, 10-10
- Top of Stack, cache, 14-2
- Trace, UNRAVEL, 13-1
- Trailing space removal, GL-16
- Transportability, AP-10
- Turnkey, 7-1

## U

- UNMARKFCLOSE, 8-6
- UNRAVEL, 13-1
- Update, AP-7
- Upper case, MAKEUCASE, GL-74
- USE.DICT:, OB.BARRAY, 10-10
- USED.WORDS, 11-9
- USER and modules, 16-4
- USER Variables, 12-1
- USER variables, cloned, 7-8
- Utilities, files, 3-6

## V

- VARIABLE, from assembler, 14-9
- Variables, 5-3
- Variables, ARexx, 23-8
- Vectored execution, 11-3
- VERIFY-LIBS, 18-5
- VERIFY-LIBS, cloned, 7-8
- Version, libraries, 18-3
- Vocabularies, 17-3
- VOCABULARY and modules, 16-4

## W

- WHERE:, OB.ELMNTS, 10-14
- WIDTH:, OB.BARRAY, 10-10
- Window of JForth, GL-107
- Window, example, 14-9
- Window, example, 18-13
- Window, menus, 20-3
- Window, NewWindow, 18-8
- Window, open, 19-1
- Wipe picture, 21-4
- Wipe, PIC.WIPE, 21-9
- WORD, cloned, 7-6
- }STUFF:, OB.BARRAY, 10-10
- }STUFF:, tutorial, 10-5